

Attenuators

PRODUCT INFORMATION

An optical attenuator is a device used to reduce the power level of an optical signal, either in free space or in an optical fibre.

MSS stock a range of singlemode attenuators to suit most common applications. MSS attenuators are available in SC, SCA and LC in 5dB 10dB. Multimode attenuators are also available upon request.


FEATURES & BENEFITS

- High quality ferrules ensure reliable performance
- BI-directional use
- Environmentally stable and reliable
- Small size
- Build out style for easy use
- Available in SC, SCA and LC
- Available 5dB, 10dB
- Other types available on request


SPECIFICATIONS

Operating Wavelength	1310/1550nm
Attenuation Levels	5, 10dB
Operating Temperature	-40° to +85°C

SC/SCA Attenuator Dimensions



LC Attenuator Dimensions



In support of our policy of continuous product improvement we reserve the right to change materials and specifications without notice. Drawings, where shown, may not be to scale. Dimensions are metric and size maybe approximate. Where possible data sheets including MSDS are made available on our website and apps. All products should be installed and used in accordance to manufacturer's instruction provided. Warning: products may be subject of registered designs and patents. Refer to our website or apps for terms and conditions on warranty.

MKT033

Attenuators

ORDERING INFORMATION

Part Number	Description
ATT-SC-SM-5	SC Singlemode Male-Female Attenuator - 5dB
ATT-SC-SM-10	SC Singlemode Male-Female Attenuator - 10dB
ATT-SCA-SM-5	SCA Singlemode Male-Female Attenuator - 5dB
ATT-SCA-SM-10	SCA Singlemode Male-Female Attenuator - 10dB
ATT-LC-SM-5	LC Singlemode Male-Female Attenuator - 5dB
ATT-LC-SM-10	LC Singlemode Male-Female Attenuator - 10dB